

```
/**
 * Rating Results Table
 *
 * @param str $type - report type being run
 * @param uri $uri - base uri (default: page.uri)
 * @param map $params - query params to preserve
 * @param str $query - query to execute
 * @param str $constraint - query constraints (default: nil)
 * @param num $total - total report size
 * @param str $default - default sort (default: nil)
 * @param num $perPage - results per page (default: 30)
 */
var reportType = $type;
var uri = $uri ?? page.uri;
var params = $params;
var searchQuery = $query;
var searchConstraint = $constraint;
var queryTotal = $total;
var defaultSort = $default;
var resultsPerPage = $perPage ?? 30;

// compute the page
var currentPage = __request.args.page ?? 1;
if (currentPage < 1) {
    let currentPage = 1;
}
var currentSort = __request.args.sortBy ?? defaultSort;

// fetch the results
var queryResults = wiki.getsearch{
    query: searchQuery,
    offset: (currentPage - 1) * resultsPerPage,
    max: resultsPerPage,
    sortBy: currentSort,
    constraint: searchConstraint
};

var queryCount = #queryResults;

// Paging
Template("MindTouch/Reports/Controls/SearchPaging", {
    uri: uri,
    params: params,
    total: queryTotal,
    perPage: resultsPerPage,
    showingKey: "MindTouch.ContentAnalytics." .. reportType .. ".results"
});
```

```

// computed page statistics
var aggregateScore = 0;
var aggregateTrendscore = 0;

<table class=("table mt-report-results" .. (queryTotal == 0 ? " ui-no-results": ""))>
  Template('MindTouch/Controls/TableSortHeading', {
    uri: uri,
    params: params,
    columns: [
      {width: "", label: wiki.localize("MindTouch.Reports.data.title"), field: "title"},
      {width: "10", label: wiki.localize("MindTouch.Reports.data.rating"), field: "rating.score"},
      {width: "10", label: wiki.localize("MindTouch.Reports.data.votes"), field: "rating.count"},
      {width: "50", label: wiki.localize("MindTouch.Reports.data.date"), field: "date"},
      {
        width: "30",
        sortclass: "views",
        label: wiki.localize("MindTouch.Reports.data.views")
      },
      {
        width: "30",
        sortclass: "edits",
        label: wiki.localize("MindTouch.Reports.data.edits")
      },
      {
        width: "30",
        sortclass: "comments",
        label: wiki.localize("MindTouch.Reports.data.comments")
      }
    ],
    default: defaultSort,
    enabled: (queryCount > 0)
  });

if (queryCount < 1) {
  <tr>
    <td colspan="7">
      wiki.localize("MindTouch.Reports.data.empty")
    </td>
  </tr>
}

foreach (var queryResult in queryResults) {

  // skip empty results
  if (!#queryResult) {
    continue;
  }

  // compute page statistics
  let aggregateScore += num.cast(queryResult.rating.score ?? 0);
}

```

```

let aggregateTrendscore += num.cast(queryResult.rating.trendscore ?? 0);

<tr class=("row-" .. (__count % 2))>
  Template("MindTouch/Reports/Controls/TableCellPage", {
    page: queryResult,
    class: "col-0"
  });
  <td class="col-1 data-type-numeric">
    if ((queryResult.rating.count > 0) && (queryResult.rating.score is not nil)) {
      <span class=("trending trending-" .. (queryResult.rating.trendscore < .5 ? "down" : "up"))>
        num.round(queryResult.rating.score * 100) .. "%";
      </span>
    } else {
      "--";
    }
  </td>
  <td class="col-2 data-type-numeric">
    queryResult.rating.count;
  </td>
  <td class="col-3 data-type-numeric">
    Template("MindTouch/Controls/DateTime", [queryResult.date]);
  </td>
  <td class="col-4 data-type-numeric">queryResult.viewcount</td>
  <td class="col-5 data-type-numeric">queryResult.revision</td>
  <td class="col-6 data-type-numeric">
    <a href=(queryResult.uri .. "#comments")>#queryResult.comments</a>
  </td>
</tr>
}

// computed information if results are found
if (queryCount > 0) {
  <tr class="summary">
    <td class="col-0">&nbsp;</td>
    <td class="col-1">
      <dl>
        <dt>"Score:"</dt>
        <dd>num.round(aggregateScore / queryCount * 100); "%</dd>
        <dt>"Trend:"</dt>
        <dd>num.round(aggregateTrendscore / queryCount * 100); "%</dd>
      </dl>
    </td>
    <td class="col-2">&nbsp;</td>
    <td class="col-3">&nbsp;</td>
    <td class="col-4">&nbsp;</td>
    <td class="col-5">&nbsp;</td>
    <td class="col-6">&nbsp;</td>
  </tr>
}
</table>

```

```
// Paging
Template("MindTouch/Reports/Controls/SearchPaging", {
  uri: uri,
  params: params,
  total: queryTotal,
  perPage: resultsPerPage,
  showingKey: "MindTouch.ContentAnalytics." .. reportType .. ".results"
});
```